

## Certificate of Approval of Forced Hot Air Treatment Facility



Government of India  
Ministry of Agriculture & Farmers' Welfare  
(Department of Agriculture & Farmers' Welfare)  
Directorate of Plant Protection, Quarantine & Storage  
N.H-IV., Faridabad-121001


Certificate Number: 747/2022

Date of Issue : 22.12.2022

Valid up to : 21.12.2024

*This is to certify that the Forced Hot Air Treatment Facility as described below has been inspected and certified for treatment of solid wood packaging material for export after conducting satisfactory performance test and that the firm is authorized to mark the treated packing material as per the code number & mark assigned.*



  
( Dr. J.P. Singh)

Plant Protection Adviser

Name of FHAT  
Facility & Address

M/s. Aastha Udyog  
Village-Routa, P.O.-Kaijuri, Uluberia,  
Howrah -711316, Kolkata, West Bengal.  
Email: ayushritolial1993@gmail.com  
Contact No-8007124531

Capacity of the facility

52 Pallets {4' (L) X 4' (W) X 0.4'(H)}

Code Number Assigned to the  
Facility

IN- 747 HT

### Terms & Conditions:

1. The Certificate should be displayed at prominent place and available for verification during inspections to the facility;
2. No alterations or corrections would be permitted on the face of the certificate.
3. The certificate would be deemed to be invalid for other than the purpose for which it is given.
4. All the treatment operations should be performed by a qualified operator of the firm and necessary treatment records/data log sheets are maintained for necessary verification.
5. All the treatments should be performed as per the standards laid under ISPM-15 and the treated packaging material should be marked with assigned code number prior to export as per ISPM-15.
6. The certified facility should abide by the instructions and guidelines issued by the Plant Protection Adviser from time to time.
7. The certified facility should submit a compliance agreement to the Plant Protection Adviser at the time of issuance of the certificate duly signed by the authorized signatory of the firm.
8. The certificate would be valid initially for two years from the date of issue and subsequently for two years from the date of renewal unless otherwise revalidated. The firm should apply for revalidation at least 45 days before expiry of certificate.
9. No liability would lie with the officers Dte. of PPQS towards issuance of the certificate.


### Endorsements:

Revalidated/suspended/cancelled on	----	by	---	
Revalidated/suspended/cancelled on	----	by	---	
Reinstated	on	----	by	---

### Copy to


1. Officer In-charge, Regional Plant Quarantine Station, Kolkata for information.

Mark Assigned to the Facility:



**Foot Note:** Markings should be according to the model shown above (12 x 6 cm), legible, permanent, not transferable, placed in a visible location and preferably marked by a stencil with black ink. The letter size should be a minimum of 2.5 cm. Recycled, remanufactured or repaired wood packaging material should be re-certified and re-marked. All components of such material should have been treated.



<b>Date of issue:</b> 22.12.2022	<b>Valid up to:</b> 21.12.2024	<b>Revalidated/suspended/cancelled on:</b>
<b>Issued to:</b> M/s. Aastha Udyog Village-Routa, P.O.-Kaijuri, Uluberia, Howrah -711316, Kolkata, West Bengal. Email: ayushritolial1993@gmail.com Contact No-8007124531		<b>Issued by:</b>  ( Dr. J.P. Singh ) <b>Plant Protection Adviser</b> Directorate of Plant Protection, Quarantine & Storage, N.H-IV, Faridabad-121001